

Towards a Benchmark for Fire Safety Code Interpretation in the Hong Kong AEC Industry

Le Qiu¹, Zhuan Anne Zhang^{2,3}, Hok Ming Adeline Chan^{2,3}, Emmanuele Chersoni^{1,4}

¹Language Science and Technology, Hong Kong Polytechnic University, Hong Kong

²AAL INNOVATION Limited, Hong Kong

³Journalism and Communication, Hong Kong Shue Yan University, Hong Kong

⁴Artificial Intelligence and the Humanities, Hong Kong Polytechnic University, Hong Kong

lani.qiu@connect.polyu.hk, anne@aalinnovationai.com

adeline@aalinnovationai.com, emmanuele.chersoni@polyu.edu.hk

Abstract

Large Language Models (LLMs) are increasingly explored in the AEC (Architecture, Engineering, and Construction) domain, yet their reliability in regulatory tasks remains uncertain.

In this study, we focused on *Hong Kong fire safety codes*: together with domain experts, we create a localized dataset of multiple-choice (MCQs) and open-ended questions (OEQs) to evaluate 12 widely used LLMs, including both proprietary and open-source models.

Our findings show that proprietary models may achieve 80–90% accuracy on MCQs, while open-source models generally lag behind. On OEQ, humans rated the answers at 50-70% accuracy, suggesting that LLMs in specialized compliance tasks still have large margins of improvement.

1 Introduction

The AEC industry is one of the many domains in which Generative AI and LLMs are rapidly gaining momentum: the most tech-savvy architects have started to adopt LLM-based tools in their everyday design practice, while clients increasingly see the usage of AI as a guarantee for their return of investment (Del Campo and Leach, 2022), as well as a valuable tool for workflows such as cost prediction and quality control (Kampelopoulos et al., 2025). An open question is whether current state-of-the-art LLMs can already be reliable support tools for specialized and safety-critical AEC contexts.

In Tai Po, in the New Territories of the Hong Kong Special Administrative Region, a major and tragic fire incident has recently brought renewed public attention to the importance of fire safety in urban environments¹. For us, as NLP practitioners, it should be a natural question to ask, whether modern technologies can help us to prevent such type of incident from occurring again in the future.

Motivated by this context, we take fire safety as a critical lens to evaluate the current capabilities of state-of-the-art AI models within the AEC sector. Although prior research has examined LLMs in AEC-related tasks — such as code interpretation and design assistance (e.g. Guo et al., 2025; Liang et al., 2026) — systematic evaluations specifically targeting fire safety remain scarce. Fire safety represents a high-stakes AEC subdomain that relies heavily on precise interpretation of regulatory codes, making it an ideal testbed for assessing whether AI can reliably support professional decision-making in AEC. Building upon this motivation, we have collaborated with domain experts and constructed a Q&A (Question Answering) dataset relevant to local fire safety practice in Hong Kong. Using this dataset, we have evaluated both proprietary LLMs and open-source models to understand their strengths, limitations, and failure modes in this high-stakes domain.

In summary, our work primarily make two contributions: i) We present the first dataset grounded in the Hong Kong fire safety regulatory context, offering a structured benchmark for evaluating AI systems in one of the most safety-critical AEC subdomains; ii) we provide a systematic evaluation of LLMs on code compliance checking tasks in Hong Kong fire safety, analyzing their capabilities, reliability gaps and resource consumptions when interpreting real-world regulatory codes.²

2 Related Work

2.1 LLMs in the AEC Industry

AEC workflows are inherently document-intensive, relying on large volumes of unstructured data such as design briefs and safety regulations. This makes the industry particularly receptive to automation technologies. Evidence shows that recent LLMs

¹https://en.wikipedia.org/wiki/Wang_Fuk_Court_fire

²Our dataset and code are available at <https://github.com/Laniqiu/HK-FSCoDe-LLM-Eval>.

have been swiftly integrated into various AEC tasks, ranging from basic document processing — such as information extraction and summarization — to more advanced applications like regulatory compliance inspection (Kampelopoulos et al., 2025). Commercial general-purpose LLMs—such as ChatGPT, Gemini, and Claude — are among the most widely adopted, due to their strong reasoning capabilities and ready-to-use features.

However, a more widespread application of LLMs in the AEC industry faces several obstacles. The most prominent issue is domain knowledge: AEC tasks often require extensive expertise spanning multiple disciplines, including architecture, structural engineering, mechanical and electrical engineering (MEP), and project management (Ghimire et al., 2024), and even for general-purpose LLMs it is difficult to reliably cover such specialized and multidisciplinary knowledge. Another widely discussed challenge are hallucinations (Huang et al., 2023), where AI systems generate plausible-sounding but incorrect information. In safety-critical AEC subdomains—such as fire safety engineering, structural safety assessment, or code compliance checking—hallucinations pose significant risks (Xiong et al., 2026), as incorrect interpretations may lead to unsafe decisions.

2.2 LLMs for Compliance Checking

In response to these limitations, researchers have developed domain-specific LLMs tailored for AEC, mainly for compliance checking (Zheng et al., 2023, 2025). For example, CivilGPT and SiKong³ are two models developed for the Chinese AEC. CivilGPT specializes in civil engineering knowledge, while SiKong is a fine-tuned model based on LLaMA and Alpaca, designed to support architecture-related question answering tasks. Both focus on the knowledge systems specific to Mainland China.

Notably, AEC regulations exhibit strong regional specificity, as codes and regulations vary across jurisdictions: for example, a system like SiKong may perform well on the Chinese regulatory frameworks, but its applicability is limited when dealing with the codes of other regions. While this issue implies the need for localization in AEC-oriented LLMs, AEC-specific datasets remain scarce and qualified human experts are extremely difficult to recruit for dataset construction.

³CivilGPT: <https://civilgpt.tongji.edu.cn/>;
SiKong: <https://github.com/SikongSphere/sikong>

Compliance checking on fire safety codes in NLP is not a common research topic, although some benchmarks exist, such as the CODE-ACCORD corpus, containing regulatory codes from the United Kingdom and Finland and also including fire safety ones (Hettiarachchi et al., 2026); and SearchFireSafety, a dataset for statute-centric legal question-answering centered on South Korean fire-safety regulations (Chae et al., 2026).

To our knowledge, no specific NLP research has been conducted dedicated to Hong Kong fire safety codes. Since developing a dataset of instructions to fine-tune a model specifically for the Hong Kong fire safety regulation is not practical due to the costs and the limited applicability, we focus our efforts on constructing an evaluation-only dataset that can be used to test the performance of state-of-the-art LLMs, to see if their exposure to massive scales of data and advanced reasoning capabilities can compensate for the lack of localization.

3 Dataset Creation

We constructed a Q&A dataset sourced from *Code of Practice for Fire Safety in Buildings 2011* (FS Code)⁴, published by the Hong Kong Buildings Department. The FS Code is the central regulatory document governing fire safety provisions in Hong Kong and serves as the official reference for both professional practice and local qualification examinations, making it a reliable foundation for assessing LLM understanding of domain-specific fire safety knowledge. Our samples comprehensively cover both core components of the code: an **architectural** component that includes means of escape, means of access, and passive fire protection measures (e.g., fire-resisting construction, fire barriers, etc.), and a **fire engineering** component that specifies the performance and design of active fire protection systems and fire service installations (e.g., automatic sprinklers, fire detection and alarm systems, etc.). Following the style of the existing HKIA/ ARB Professional Assessment (PA)⁵, we designed two major categories of ques-

⁴While the FS Code is available in both English and Cantonese, we used the 2024 English version to align with local qualification examinations, which are conducted in English. Source: https://www.bd.gov.hk/doc/en/resources/codes-and-references/code-and-design-manuals/fs_code2011.pdf

⁵The PA is the official professional qualification examination administered by The Hong Kong Institute of Architects (HKIA) and the Architects Registration Board (ARB). It is the primary pathway to obtain professional membership in HKIA

tions: multiple-choice questions and open-ended questions.

We employed a hybrid AI-human workflow for Q&A generation. We first used the recent, state-of-the-art GPT-5 (Singh et al., 2025) model to generate candidate questions — either by prompting the model with specific requirements or by supplying relevant excerpts from the FS Code as source material. Near-identical or overlapping questions were manually removed. Following this stage, each remaining question underwent comprehensive human verification, including review and correction of the question, answer and references. More specifically, the expert review was conducted by two architects and one fire engineer, all of whom are Hong Kong-registered, experienced, and actively practicing professionals, with responsibilities divided according to domain expertise: specialists in fire safety regulations examined the architectural components, while professionals with relevant technical backgrounds reviewed the engineering components. Each question would be reviewed by two experts and retained only if both consider it valid; items on which there was disagreement were discarded from the dataset.

The final version contains a total of 500 Q&A pairs, comprising 400 MCQs and 100 OEQs. Examples are provided in Appendix Table 4.

4 Evaluation Settings

4.1 Models

We evaluated 12 distinct LLMs, as outlined in Table 1: proprietary models (top) include Claude Opus (Anthropic, 2024), DeepSeek (DeepSeek-AI, 2024), Gemini 3 (DeepMind, 2025), GPT-4 (Hurst et al., 2024), Grok-4 (xAI, 2024) and Qwen-Plus (Qwen Team, 2026); open-sourced models (bottom) include Qwen2.5-7B (Qwen Team, 2024; Yang et al., 2024), Llama3-8B, Mistral-7B, DeepSeek-7B, Llama3-70B and Qwen3-80B (Qwen Team, 2025; Yang et al., 2025). For DeepSeek and Gemini 3, both *thinking* and *non-thinking* modes are evaluated and each is counted as a separate evaluation, bringing the total to 14.

The selection was based on several considerations. First, it is impractical to include a large amount of available LLMs, given the time and financial constraints. Still, we aimed to cover the popular and representative LLMs that the AEC

and to become registered architects in Hong Kong.

practitioners are likely to use in real-world applications. Second, we intentionally included smaller-scale models to examine whether model size affects performance. Third, we included both *thinking* and *non-thinking* models for DeepSeek and Gemini 3, trying to investigate whether explicit reasoning-mode capabilities lead to measurable differences.

Proprietary models are accessed via APIs and open-source models are run through Hugging Face Transformers. We use default inference parameters for all models, except that we set the maximum number of newly generated tokens to 512 to ensure comparable answer lengths.⁶

4.2 Metrics

For MCQs, we use **accuracy** as a standard metric, i.e. the proportion of questions for which the model selects the correct option. For OEQs, which involve free-form text, we use both automatic and human evaluation.

Generally, automatic evaluation operates by quantifying the textual similarity between the model-generated output and the reference answer. We employ standard metrics widely used in natural language generation tasks, including BLEU (Papineni et al., 2002), METEOR (Banerjee and Lavie, 2005), ROUGE-L (Lin, 2004) and BERTScore (Zhang et al., 2020). These metrics capture different aspects of similarity: BLEU emphasizes n-gram precision, METEOR incorporates synonym matching, ROUGE-L focuses on longest-common subsequence recall, and BERTScore measures semantic similarity using contextual embeddings.⁸

For human evaluation, we designed two rating dimensions that potentially mirror criteria commonly used in professional examinations: **accuracy** and **clarity**. Accuracy assess whether the response appropriately addresses the question and adheres to the facts; clarity measures the linguistic quality of the response — whether it is presented in a clear,

⁶This constraint only applies to the final answer returned to the user, as the internal reasoning tokens in the thinking mode are not counted in the generation limit. Note that the specific parameter names may vary across providers.

⁷Prices are quoted per 1 million tokens in USD and provided for reference only (actual costs may vary depending on usage time, mode, cache status and membership tier); The thinking and non-thinking modes for DeepSeek and Gemini 3 are implemented within the same model architecture, with the mode selection controlled by API parameters.

⁸Scores are computed using *pycocoevalcap* for BLEU (n=4), METEOR and ROUGE; and *bert_score* for BERTScore (F1 scores from RoBERTa-large are reported).

Table 1: A summary of model identifiers and pricing⁷

	Identifier	In/ Out Price
Claude Opus	claude-4.5-opus	5/ 25
DeepSeek	deepseek-chat	0.007~ 1.32 / 0.66~ 3.96
Gemini 3	gemini-3-flash-preview	0.05 ~ 1 / 3
GPT-4	gpt-4.1	0.5 ~ 2 / 8
Grok-4	grok-beta	0.2 / 0.5
Qwen Plus	qwen-plus	0.4 ~ 2 / 1.6 ~ 6
Qwen2.5-7B	Qwen/Qwen2.5-7B-Instruct	N.A.
Llama3-8B	meta-llama/Llama-3.1-8B-Instruct	N.A.
Mistral-7B	mistralai/Mistral-7B-Instruct-v0.3	N.A.
DeepSeek-7B	deepseek-ai/deepseek-llm-7b-chat	N.A.
Llama3-70B	meta-llama/llama-3.3-70b-instruct	N.A.
Qwen3-80B	Qwen/Qwen3-Next-80B-A3B-Instruct	N.A.

Table 2: Human evaluation rubric: dimensions, descriptors and scoring ranges.

Accuracy	
Fully accurate	The response is correct, complete, and aligned with the Hong Kong Fire Safety Code (100%).
Minor inaccuracy	The response is generally correct but contains small inaccuracies or omissions that do not fundamentally affect compliance (90%).
Major issues	The response contains substantial problems. This level is further divided into four sub-categories:
	Irrelevant but real clause cited (80%). Omission of critical information (60%). Hallucination or fabricated content (30%) Fundamental misunderstanding of the regulation (0%).
Clarity	
Clear and professional	Fluent, logical language with precise domain terminology (100%).
Minor clarity issues	Slightly awkward phrasing or redundancy, but still comprehensible (90%).
Inaccurate or inconsistent terminology	Uses incorrect, imprecise, or non-standard Hong Kong fire safety terms (80%).
Logical gaps or weak reasoning	Disconnected arguments, logical jumps, or unsupported conclusions (50%).
Insufficient explanation / justification	Conclusions lack specific clause references, rationale, or step-by-step reasoning (50%).
Poor readability / disorganized structure	Difficult to follow due to lack of structure, paragraphing, or logical flow (0%).

fluent, coherent and professional manner. Each dimension was defined through multiple descriptors that specify different aspects of performance, as shown in Table 2. Each descriptor carried a fixed penalty level. The selected descriptor determined the final score for that dimension. For example, a response classified as fully accurate would receive the full score (100%) for accuracy, whereas a response categorized as having major issues might incur the maximum penalty and end up with a score of zero (0%).

Due to time constraints and the high cost associated with human assessment, we did not evaluate

OEQ outputs for all models. Instead, we selected a subset of five models that performed strongly in the automatic evaluation stage and conducted human evaluation on their OEQ outputs. By this design, for each question, we have 5 Q&A pairs (one for each of the 5 evaluated models), and each Q&A pair would be independently and randomly evaluated by at least two raters. Rather than assigning numerical scores, raters are invited to classify each model response into the descriptors that best characterized its accuracy and clarity, without knowing the model identity. The judgment should be based on their professional knowledge and the pro-

vided reference answers. All raters are AEC professionals registered and practiced in Hong Kong. Architectural-related questions are evaluated by architects, and engineering-related questions were rated by fire engineers.

4.3 Prompts

The evaluation prompts follow a fixed format as shown in Table 5. The prompts explicitly indicate that the applicable jurisdiction is Hong Kong (Table 5a). For MCQs, however, we prepare a second set of prompts that does not specify the jurisdiction (Table 5b). By this design, we intend to examine whether the absence of regional awareness — likely in real expert-LLM interactions — affects model performance.

5 Results

The scores are presented in Table 3, along with the average token cost (including both input and output) and the processing time (in seconds).

For the human evaluation of OEQs, we reported their average ratings in Table 3d. As noted earlier, we evaluated the outputs from five models: four proprietary models and one open-source model — Gemini 3 (Thinking and Non-Thinking variants), GPT-4, Claude Opus, and Qwen2.5-7B. The selection was based on multiple considerations, including their automatic evaluation scores on both MCQs and OEQs, resource consumption, and availability in Hong Kong, among other practical factors. Qwen2.5 was included to provide a term of comparison of what can be obtained with a smaller-size, open model.

Overall, the proprietary models outperform smaller open-source models, which is expected given their substantial differences in parameter counts.⁹ The bigger open-source models (i.e. Llama3-70B and Qwen3-80B) are the closest to the level of performance of proprietary models, although they generally still lag behind in all metrics. Interestingly, for most automatic generation metrics the larger open models do not improve over the scores of their smaller versions.

On MCQs (see Table 3a and 3b), the best scores were achieved by Grok-4 with prompts specifying

the Hong Kong regulatory context (w/ HK) and Gemini 3 without such specification (w/o HK), and the lowest by DeepSeek-7B under both prompting conditions. The top proprietary LLMs — Gemini 3 and Claude Opus, etc. — have been primarily trained on English corpora. Grok-4’s real-time web searching may have further contributed to its top ranking under the w/ HK context, while simultaneously leading to substantial token consumption. In contrast, DeepSeek and Qwen Plus, adapted to Chinese context, were less impressive. This might be explained by the differences in the language distribution of the training data. Our dataset was constructed based on common Hong Kong industry practices, using the English version of the FS Code as a reference. Although both Chinese and English are official languages in Hong Kong, professional examinations (e.g. the PA) are conducted in English, which likely favors models with stronger English training coverage. The results between two prompting conditions aligned with commonsense expectations — specifying the jurisdiction could in general improve accuracy. When jurisdiction was not specified in the prompts, the models might produce longer responses with higher token usage and increased latency, probably in an attempt to reconcile multiple legal systems.

In contrast, the OEQ results showed a narrower gap between model types across metrics. BLEU scores clustered around 2-3, METEOR and ROUGE mostly fell in the 10-20 range — all relatively low. This is expected, as these metrics emphasize lexical overlap. For OEQs, valid responses may diverge substantially from the reference, leading to lower overlap. Meanwhile, BERTScore values of semantic similarity with the reference were consistently high, which, however, does not help discriminating between models.

When running the human evaluation, we had to make sure to analyze items for which the annotators were able to reach an agreement, avoiding questions for which even experts gave polarized answers. This led to the exclusion of 32 out of 100, on which the experts showed large disagreements. This filtering step left us with a subset of 68 questions, each one with 5 Q&A pairs, for a total of 340 pairs. In turn, each of them received two ratings from the experts.

The human evaluation revealed narrow accuracy scores around 57 to 65 and clarity scores around 62 to 78. For the scores assigned by humans, we computed the intraclass correlation coefficient (Koo and

⁹Most proprietary LLMs do not disclose their parameter size, but it is generally assumed that they are very large, often in the hundreds of billions or even trillions.

¹⁰Under this prompting condition, 5 invalid outputs are identified. Values in parentheses are computed on the valid instances

Table 3: A summary of evaluation results. The (*) marker indicates the model operates in a thinking mode, otherwise non-thinking mode by default, time cost is in seconds. The top scores are underlined.

	Accuracy	Time Cost	Token Cost	Accuracy	Time Cost	Token Cost
Qwen Plus	79.5	6	372	81.75	5	366
Grok-4	<u>90</u>	12	2728	83.75	15	2881
GPT-4	80.5	3	265	78.75	2	2454
Gemini 3	88.5	2	257	85.75	33	2221
Gemini 3*	89.25	17	2254	<u>86</u>	24	3082
DeepSeek	80.75	7	266	80.75	15	334
DeepSeek*	83.5	68	1718	81	76	1770
Claude Opus	86	6	2562	81.25	6	366
Mistral-7B	69.25	N.A.	N.A.	67.25	N.A.	N.A.
Qwen2.5-7B	75.5	N.A.	N.A.	73	N.A.	N.A.
Llama3-8B	77	N.A.	N.A.	73	N.A.	N.A.
DeepSeek-7B	66	N.A.	N.A.	60.75	N.A.	N.A.
Llama3-70B	79	6	274	77.75 (78.73) ¹⁰	8	N.A.
Qwen3-80B	79	1	292	78.25	2	N.A.

(a) Accuracy for MCQs (w/ HK)

(b) Accuracy for MCQs (w/o HK)

	BERTScore	BLEU	METEOR	ROUGE	Time Cost	Token Cost
Qwen Plus	84.6	3.42	16.23	15.35	6	356
Grok-4	84.41	3.19	19.78	15.97	16	3280
GPT-4	85.8	<u>4.66</u>	17.1	<u>17.74</u>	4	298
Gemini 3	85.41	3.43	14.36	16.8	2	281
Gemini 3*	85.55	4.03	15.16	17.53	15	1346
DeepSeek	85.58	3.64	13.75	16.33	9	270
DeepSeek*	85.56	4.34	15.6	16.4	56	1375
Claude Opus	85	3.14	<u>19.25</u>	15.86	10	2472
Mistral-7B	85.2	3.97	15.08	16.15	N.A.	N.A.
Qwen2.5-7B	<u>85.63</u>	3.21	12.93	16.52	N.A.	N.A.
Llama3-8B	84.9	3.68	14.23	16.69	N.A.	N.A.
DeepSeek-7B	84.91	2.76	10.89	15.63	N.A.	N.A.
Llama3-70B	84.46	0.73	7.32	12.41	8	N.A.
Qwen3-80B	84.90	1.63	9.55	13.45	2	N.A.

(c) Automatic evaluation results for OEQs

	Accuracy	Clarity
Gemini 3	61.88	69.13
Gemini 3*	64.11	73.76
GPT-4	57.61	70.22
Claude Opus	<u>65.89</u>	<u>79.43</u>
Qwen2.5-7B	57.36	67.21

(d) Human ratings for OEQs

Accuracy	0.54
Clarity	0.54

(e) ICC rater agreement (6 classes)

Li, 2016), obtaining values around 0.54 for both dimensions (see also Table 3e), which indicates a moderate level of agreement. Considering that both accuracy and clarity are rated on ordinal scales of

six values, we deemed it as a sufficiently reliable agreement between our experts.

Regarding the reasoning modes, enabling thinking did not necessarily improve performance. For

instance, DeepSeek* (thinking) performed slightly worse than DeepSeek (non-thinking) on OEQs. In other cases, the differences were less pronounced and almost negligible. Yet the resource consumption of the thinking mode was significantly higher: on MCQs, the token usage and response time of DeepSeek* (thinking) were more than five times of DeepSeek (non-thinking). Under the w/ HK context, Gemini 3 (non-thinking) ranked third with an accuracy of 88.5%, with the lowest cost in terms of both time and token usage. Grok-4, while achieving the highest accuracy, had consumed the largest amount of tokens.

To assess the validity of automatic evaluation metrics, we measured the Spearman correlation between each metric and the human expert scores. Unfortunately, we obtained a negative result: none of the automated metrics showed a significant correlation with expert-rated accuracy, while moderate correlations were observed between clarity and METEOR ($p = 0.38$), ROUGE ($p = 0.36$) and BERTScore ($p = 0.34$).

Compared to industry-standard expectations and requirements, these findings suggest that current general-purpose LLMs cannot yet serve as reliable final recommendations for fire safety design and engineering scenario analysis in the Hong Kong region. Their outputs should only be considered as reference information, subject to supervision and, whenever possible, validation by human experts. It is interesting, in this sense, that experts generally rate LLMs much higher for clarity than for accuracy: in generating an answer, LLMs might be very clear and professional-sounding, but the expressed factual knowledge is not necessarily correct. Moreover, as our correlation analysis shows, traditional automated metrics are not reliable when it comes to the assessment of factual accuracy.

Finally, beyond the observations above, one further implication emerged from our human evaluation. Although there remain many areas for improvement, the evaluation revealed practical challenges. First, interpretations of regulatory provisions can vary — even the official Buildings Department may provide different interpretations — so expert scoring may remain highly subjective despite the provision of references and instructions. Second, experts’ attitudes toward AI outputs differed: some raters, once aware that the text was AI-generated (even without knowing which model), adopted a more skeptical stance, which often resulted in lower scores. Future initiatives — whether

academic projects or industry application — should account for the inherent subjectivity of human experts and their attitudes toward AI outputs.

6 Conclusion

This work presents the first systematic evaluation of 12 LLMs, both proprietary and open-source, on their ability to interpret the Hong Kong fire safety code. To support this study, we collaborated with fire safety experts in Hong Kong to construct a Q&A dataset comprising both MCQs and OEQs, emulating the structure of official professional examination.

Overall, proprietary models outperform open-source ones. On MCQs, proprietary models achieved about 80–90% accuracy on MCQs, while open-source models performed substantially lower. On OEQs, model performance remains limited. Ratings from human experts on OEQs reveal that accuracy of model outputs remain only around 50–70%, with most responses falling into the major issues category rather than reaching fully accurate or minor inaccuracy levels. This indicates that current LLMs cannot yet reliably capture the precision required for regulatory compliance. It is also found that enabling thinking did not yield significant gains on either setting, but incurred high resource consumption, underscoring the need to balance efficiency with effectiveness. Moreover, enabling thinking modes did not yield significant accuracy gains in either MCQs or OEQs, but increased resource consumption. Finally, all automated metrics were not correlated with accuracy and only moderately correlated with clarity, thus confirming the challenges in evaluation when the feedback of human experts is not easily available.

While constrained by dataset scarcity and limited expert availability, this study contributes a localized benchmark for evaluating LLMs against the Hong Kong fire safety code.

Although our focus is on fire safety, the underlying methodology is transferable to other AEC subdomains. For future work, we will prioritize improving evaluation frameworks — especially human evaluation, and expand the benchmark beyond fire safety to include broader regulatory tasks in AEC.

Limitations

We acknowledged the limitations of the current work are primarily: First, since fire safety experts

are difficult to recruit and our dataset requires manual review, screening and revision to ensure quality and accuracy, we are aware of the fact that the dataset size is small. This issue, together with the specific focus on the Hong Kong regulation, is an important limitation to the generalizability of the findings. The same challenge of expert recruitment also limited the coverage of human evaluation.

Ethics Statement

Potential risk: The potential risk of this work lies in misinterpretation of compliance-checking outputs, which could lead to incorrect conclusions about safety compliance. To mitigate this, we emphasize that LLM predictions are advisory only and must be validated by certified fire safety professionals.

License: All artifacts (LLMs, data, and software packages) were used in accordance with their intended use and licensing terms in our dataset construction and evaluation experiments. Proprietary models (Claude Opus, Qwen Plus, GPT-5, GPT-4, Gemini 3, DeepSeek) were accessed via licensed APIs in compliance with providers' terms of service and are not freely re-distributable. Open-source models were used under their respective permissive licenses (e.g., Apache 2.0, MIT), ensuring reproducibility. Other open-source tools (such as pycocoevalcap) are released under permissive licenses.

Data Safety: Our dataset is derived from publicly available regulatory documents and has been manually reviewed to ensure that it does not contain personally identifying information or offensive content. Human evaluation data was also collected under voluntary participation. Personal identifying information such as names is removed to protect privacy.

Expert participation: Human experts were provided with clear instructions outlining the evaluation task, including definitions, examples, and scoring rubrics (an example survey is presented in Appendix B). They were informed of the study purpose and how the data would be collected and used. The participation was voluntary and all participants retained their rights to withdraw or remove their data at any point. As compensation, domain-specific workshops were offered. All participants gave informed consent before contributing.

AI Assistance: Copilot was used to support writing in language polishing.

Acknowledgment

EC acknowledges support from the project “Analyzing the semantics of Transformers representations for financial natural language processing” (ZVYU), funded by the Faculty of Humanities of the Hong Kong Polytechnic University (PolyU-UGC). We would also like to thank our reviewers for the constructive feedback.

Special thanks are also due to all contributors who assisted with dataset creation and evaluation.

Dataset Creation:

- Ar. Chau Lok Kan, Director, RA(HK) HKIA — Co-creator
- Ir. Zhao Yueci, Associate, BEng CPEng NPER MIEAust MHKIE — Contributor

Human Evaluation (all as Contributors):

- Ar Dr. Adrian Lo, RA(HK) HKIA RIBA
- Ar. Amy Chan Nga Yin, Senior Project Manager, RA(HK) HKIA Authorized Person
- Ar. Emilie Wong, Founder, RA(HK) HKIA RIBA EDAC
- Ar. Jessica Chong, Assistant Manager, RA(HK) HKIA
- Ar. Jessica Kong, Director, RA(HK) HKIA
- Ar. Jiang Hejia, Co-founder, RA(HK) HKIA
- Ar. Lily Yu, Design Manager, RA(HK) HKIA
- Ar. Lu Ruixing, Senior Associate, RA(PRC)
- Ar. Nam Wu, RA(HK) HKIA
- Ir. Pin Wai Kei, Technical Director, MHKIE MIFireE
- Ar. Simon Chan, Lecturer, RA(HK) HKIA
- Ar. Song Huiqing, Architect, RA(HK) HKIA
- Ar. Sun Bochao, Architect, RA(HK) HKIA
- Ir. Sunny Wong Ho Ching, MHKIE RPE(Fire) CEng MIMechE MCIBSE BEAM Pro CESGA

- Ar. Tian Yi, Senior Associate, RA(PRC) RA(HK) HKIA
- Ir. Victor Tung Kok Keung, Retired Fire Officer, RPE(Fire)
- Ar. Vincent Choi Kei Shun, Design Director, RA(HK) HKIA
- Ar. Xia Meng Yuan, Senior Associate, RA(HK) HKIA
- Ar. Xu Wei, Associate, RA(HK) HKIA
- Ar. Zeng Jingyao, Architect, RA(HK) HKIA
- Ar. Zhang Shuang, Architect, RA(HK) HKIA

References

- Anthropic. 2024. Claude opus. <https://www.anthropic.com>. Large language model.
- Satanjeev Banerjee and Alon Lavie. 2005. **METEOR: An automatic metric for MT evaluation with improved correlation with human judgments**. In *Proceedings of the ACL Workshop on Intrinsic and Extrinsic Evaluation Measures for Machine Translation and/or Summarization*, pages 65–72, Ann Arbor, Michigan. Association for Computational Linguistics.
- Kyubyung Chae, Jewon Yeom, Jeongjae Park, Seunghyun Bae, Ijun Jang, Hyunbin Jin, Jinkwan Jang, and Taesup Kim. 2026. Evaluating Structure-Aware Retrieval and Safety in Statute-Centric Legal QA. In *Proceedings of ACL*.
- Google DeepMind. 2025. Gemini 3. <https://deepmind.google/technologies/gemini>. Large language model.
- DeepSeek-AI. 2024. Deepseek-v3 technical report.
- Matias Del Campo and Neil Leach. 2022. *Machine Hallucinations: Architecture and Artificial Intelligence*. John Wiley & Sons.
- Prashna Ghimire, Kyungki Kim, and Manoj Acharya. 2024. Opportunities and Challenges of Generative AI in Construction Industry: Focusing on Adoption of Text-Based Models. *Buildings*, 14(1).
- Xingang Guo, Yaxin Li, Xiangyi Kong, Yilan Jiang, Xiayu Zhao, Zhihua Gong, Yufan Zhang, Daixuan Li, Tianle Sang, Beixiao Zhu, and 1 others. 2025. Toward Engineering AGI: Benchmarking the Engineering Design Capabilities of LLMs. *arXiv preprint arXiv:2509.16204*.
- Hansi Hettiarachchi, Mohamed Medhat Gaber, Pouyan Parsafard, and Edlira Vakaj. 2026. SNOWTEC: Synthetic Natural language Oversampling With Transformer-based Information ExtraCtion for Automated Compliance Checking. *Machine Learning with Applications*, 24:100911.
- Lei Huang, Weijiang Yu, Weitao Ma, Weihong Zhong, Zhangyin Feng, Haotian Wang, Qianglong Chen, Weihua Peng, Xiaocheng Feng, Bing Qin, and 1 others. 2023. A Survey on Hallucination in Large Language Models: Principles, Taxonomy, Challenges, and Open Questions. *ACM Transactions on Information Systems*.
- Aaron Hurst, Adam Lerer, Adam P Goucher, Adam Perelman, Aditya Ramesh, Aidan Clark, AJ Ostrow, Akila Welihinda, Alan Hayes, Alec Radford, and 1 others. 2024. Gpt-4o system card. *arXiv preprint arXiv:2410.21276*.
- Dimitrios Kampelopoulos, Athina Tsanousa, Stefanos Vrochidis, and Ioannis Kompatsiaris. 2025. A Review of LLMs and their Applications in the Architecture, Engineering and Construction Industry. *Artificial Intelligence Review*, 58(8):250.
- Terry K Koo and Mae Y Li. 2016. A guideline of selecting and reporting intraclass correlation coefficients for reliability research. *Journal of Chiropractic Medicine*, 15(2):155–163.
- Chen Liang, Zhaoqi Huang, Haofen Wang, Fu Chai, Chunying Yu, Huanhuan Wei, Zhengjie Liu, Yanpeng Li, Hongjun Wang, Ruifeng Luo, and 1 others. 2026. AECBench: A Hierarchical Benchmark for Knowledge Evaluation of Large Language Models in the AEC Field. *Advanced Engineering Informatics*, 71:104314.
- Chin-Yew Lin. 2004. **ROUGE: A package for automatic evaluation of summaries**. In *Text Summarization Branches Out*, pages 74–81, Barcelona, Spain. Association for Computational Linguistics.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. 2002. **Bleu: a method for automatic evaluation of machine translation**. In *Proceedings of the 40th Annual Meeting of the Association for Computational Linguistics*, pages 311–318, Philadelphia, Pennsylvania, USA. Association for Computational Linguistics.
- Qwen Team. 2024. **Qwen2.5: A party of foundation models**.
- Qwen Team. 2025. **Qwen3 technical report**. *Preprint*, arXiv:2505.09388.
- Qwen Team. 2026. **Qwen3.6-Plus: Towards real world agents**.
- Aaditya Singh, Adam Fry, Adam Perelman, Adam Tart, Adi Ganesh, Ahmed El-Kishky, Aidan McLaughlin, Aidan Low, AJ Ostrow, Akhila Ananthram, and 1 others. 2025. OpenAI GPT-5 System Card. *arXiv preprint arXiv:2601.03267*.

xAI. 2024. Grok-4. <https://x.ai>. Large language model.

Ruoxin Xiong, Yael Netser, Pingbo Tang, Beibei Li, and Joonsun Hwang. 2026. Socio-technical Assessment of Generative AI Integration in Architecture, Engineering, and Construction (AEC) Workflows: An Empirical Study Using O* NET Occupational Taxonomy. *Advanced Engineering Informatics*, 71:104392.

An Yang, Baosong Yang, Binyuan Hui, Bo Zheng, Bowen Yu, Chang Zhou, Chengpeng Li, Chengyuan Li, Dayiheng Liu, Fei Huang, Guanting Dong, Haoran Wei, Huan Lin, Jialong Tang, Jialin Wang, Jian Yang, Jianhong Tu, Jianwei Zhang, Jianxin Ma, and 40 others. 2024. Qwen2 technical report. *arXiv preprint arXiv:2407.10671*.

An Yang, Bowen Yu, Chengyuan Li, Dayiheng Liu, Fei Huang, Haoyan Huang, Jiandong Jiang, Jianhong Tu, Jianwei Zhang, Jingren Zhou, Junyang Lin, Kai Dang, Kexin Yang, Le Yu, Mei Li, Minmin Sun, Qin Zhu, Rui Men, Tao He, and 9 others. 2025. Qwen2.5-1m technical report. *arXiv preprint arXiv:2501.15383*.

Tianyi Zhang, Varsha Kishore, Felix Wu, Kilian Q. Weinberger, and Yoav Artzi. 2020. Bertscore: Evaluating text generation with bert. In *International Conference on Learning Representations*.

Chunmo Zheng, Saika Wong, Xing Su, Yinqiu Tang, Ahsan Nawaz, and Mohamad Kassem. 2025. Automating Construction Contract Review Using Knowledge Graph-enhanced Large Language Models. *Automation in Construction*, 175:106179.

Zhe Zheng, Ke-Yin Chen, Xin-Yu Cao, Xin-Zheng Lu, and Jia-Rui Lin. 2023. LLM-funcmapper: Function Identification for Interpreting Complex Clauses in Building Codes via LLM. *arXiv preprint arXiv:2308.08728*.

A Supplementary Tables

Table 4: Example instances from the dataset.

Question:	What is the main purpose of a Qualitative Design Review (QDR) in a performance-based fire safety design? A) To confirm building materials meet combustibility limits B) To set fire safety objectives, identify design scenarios, choose acceptance criteria, and outline analysis methods C) To run computational fluid dynamics (CFD) simulations D) To commission fire service installations
Reference Answer:	B
Explanation:	A qualitative design review establishes the fire safety objectives, scenarios, acceptance criteria, and the analysis approach before any detailed quantitative work is carried out.
Question:	An office tenant proposes to shorten the escape path by routing occupants through a storage room and staff pantry to reach the exit stair. The storage is used for paper and small solvent supplies and is kept locked during normal hours. Which of the following design options best meets the means of escape requirement? A) Keep the route but add illuminated exit signs and emergency lighting through the storage to replace the visual fire alarm inside the office B) Reroute the escape path so it avoids rooms with higher fire load and provide a protected corridor where necessary to connect to the exit stair C) Allow the route but restrict it to staff via access control during evacuation D) Keep the route but install a wider door from the storage to the stair, keep the door from the office to the storage opaque, additional visual fire alarms not required
Reference Answer:	B
Explanation:	Escape routes should not pass through rooms with elevated fire risk (e.g., store-rooms, kitchens/pantries). The intent is that occupants move within protected routes separated from fire hazards until reaching a place of safety. Signage, door width, or administrative controls cannot compensate for the inherent hazard of routing through high-risk rooms; a protected corridor or lobby is used to maintain separation where needed.
Question:	A restaurant with an estimated 80 patrons uses a frameless glass pivot door on its main exit that swings inward into the dining area to avoid obstructing the sidewalk. Is this acceptable, and what modification is required?
Reference Answer:	This is not acceptable because doors serving a floor or storey for more than 30 persons must swing in the direction of egress. In case the doors are swinging in both ways upper view panels shall be provided. Inward-swinging doors impede escape under crowd pressure and can trap occupants and are not allowed for rooms or storeys accommodating more than 30 persons. The door should be re-hung to swing outward (toward the place of safety) and be readily openable without a key or special knowledge. If sidewalk clearance is a concern, provide a small vestibule with an outward-swinging exit door while maintaining the required clear exit width.

(Table continues on the next page)

(Table continues from previous page)

Explanation:	The intent is to prevent crowd surge from blocking egress and to ensure doors can be opened quickly during an emergency. The outward swing requirement for exit doors is triggered by higher occupant loads, and doors must be openable without delay or special action. Any redesign must preserve the minimum clear exit width and avoid hardware or stops that reduce it.
Engineering-Related:	No
Question:	A performance-based smoke control design is proposed for a tall atrium to reduce the smoke exhaust rates. What must be demonstrated for the design to be acceptable, and how is occupant safety evaluated?
Reference Answer:	Define credible design fire scenarios and use validated models to predict smoke production, movement, and layer heights. Show that the available safe egress time exceeds the required safe egress time by an appropriate margin, considering pre-movement and evacuation durations. Demonstrate tenability along evacuation paths (visibility, temperature, and toxicity) remains within accepted limits at head height for the evacuation period. Provide sensitivity analyses for key parameters, document system reliability and management provisions, and demonstrate equivalence to prescriptive intent.
Explanation:	Performance-based acceptance hinges on meeting fire safety objectives through comparison of ASET and RSET and confirming tenability criteria under plausible worst cases. Validated modeling and sensitivity analyses ensure robustness against uncertainty. Management and reliability measures uphold the performance assumptions throughout the building's life.
Engineering-Related:	Yes

Table 5: Templates of Evaluation Prompts

You are answering a question about the Hong Kong fire safety code (Code of Practice for Fire Safety in Buildings 2011). [PLACEHOLDER] Return the result strictly as a JSON object in the following format: {"answer": "xx", "reason": "xx"} [QUESTION]
(a) Template for OEQs and MCQs with Hong Kong context specified ¹¹
You are given a multiple-choice question. Choose ONE most appropriate answer from the options. Return the result strictly as a JSON object in the following format: {"answer": "xx", "reason": "xx"} [QUESTION]
(b) Template for MCQs without Hong Kong context (w/o HK)

B Survey Template for Human Evaluation

For demonstration purposes, we created a simple survey template using Google Form. Any sections that could potentially reveal author information have been concealed. All expert raters (architects and fire engineers) were recruited, contacted, and invited to participate by two of the authors. Information such as evaluation purpose and instructions were personally communicated to participants (either face-to-face, via email, or through other means of contact). To protect participant privacy, identifying information has been hidden.

¹¹The [PLACEHOLDER] is determined by the question type. For OEQs, it is filled with You are given a short-answer question. Respond in a concise, accurate, and professional manner. Otherwise, it is You are given a multiple-choice question. Choose ONE most appropriate answer from the options.

** Evaluation Form (Demo)

** is currently evaluating the performance of Large Language Models on the Code of Practice for Fire Safety in Buildings 2011. We greatly appreciate your support in assessing the quality of candidate answers.

Please find the evaluation details below:

1. You will be presented with 10 questions, their reference answers and the candidate answers from various AI (the questions vary in difficulty) .
2. Based on the reference answer and your domain expertise, please rate each candidate answer along two dimensions:
 - Accuracy (Accuracy & Factual Correctness)
 - Clarity (Clarity, Coherence & Professional Communication)
3. For each dimension, please complete the following two steps:
 - Step1: Choose one of the three levels.
 - Step2: If the candidate answer has a major issue, select one or all options that best apply.

*Place a "✅" in the corresponding cell to indicate your selection.

If you have any questions, please feel free to contact **:

WhatsApp: **

Email: **

Thank you very much for your time and expertise!

* Indicates required question

1. Email *

QID: 01

Question:

In a high-occupancy commercial tower, what ongoing management practices are required to keep means-of-access features (fireman's lifts, firefighting lobbies, EVA gates) ready for use, and how should compliance be evidenced?

Reference Answer:

Establish a maintenance regime with periodic inspection and testing of fireman's lift emergency functions, lobby fire doors and pressurization, and any EVA gates or barriers, carried out by competent persons and registered contractors. Keep all access routes, lobbies, and stair approaches free from obstruction with documented housekeeping checks, and train staff on keeping these areas clear and on assisting responders during an incident. Conduct regular drills and audits, maintain a fire safety logbook with test results, defect rectification records, and certifications, and make keys and operation instructions readily available to the Fire Services.

Candidate Answer 1

Required ongoing management practices include: (1) Regular inspection and testing of fireman's lifts (typically monthly functional tests and annual comprehensive inspections), (2) Keeping firefighting lobbies clear of obstructions, properly ventilated, and fire doors maintained, (3) Ensuring EVA gates remain accessible, unobstructed, clearly marked, and keys/access available to fire services, (4) Maintaining emergency lighting, signage, and communication systems, (5) Staff training on emergency procedures, and (6) Coordinating with fire services for familiarization visits.

2. Which options best describe the candidate answer above? *

Mark only one oval.

- ☐ Fully accurate: The answer contains no factual errors and correctly addresses all major aspects with practical and code-compliant recommendations.
- ☐ Minor factual inaccuracy: The answer includes small, non-critical errors that do not materially affect the overall compliance judgment.
- ☐ Irrelevant but correct clause cited : The answer references a real COP FS provision, but one that is unrelated to the question or does not support the required judgment.
- ☐ Omission of critical information: The answer fails to include essential clauses, limits, or requirements necessary for a complete and accurate response.
- ☐ Hallucination / Fabricated content: The answer introduces plausible but entirely false information that does not exist in COP FS.
- ☐ Fundamental misunderstanding: The answer severely misinterprets the question, the regulatory intent, or the core compliance requirement.

3. Which options best describe the candidate answer? *

Mark only one oval.

- ☐ Clear and professional: The answer is fluent, well-structured, and logically presented, using precise and appropriate domain terminology.
- ☐ Minor clarity issues: The answer contains slightly awkward phrasing or minor redundancy, but the overall meaning remains clear and comprehensible.
- ☐ Inaccurate or inconsistent terminology: The answer uses incorrect, imprecise, or non-standard Hong Kong fire safety terminology.
- ☐ Logical gaps or weak reasoning: The answer shows disconnected arguments, unjustified logical jumps, or conclusions that are not adequately supported by the explanation.
- ☐ Insufficient explanation / justification: The answer provides conclusions without necessary clause references, rationale, or step-by-step reasoning.
- ☐ Poor readability / disorganized structure: The answer is difficult to follow due to unclear structure, lack of paragraphing, or poor logical flow.

Candidate Answer 2

Required ongoing management practices include: (1) Regular inspection and testing of fireman's lifts (typically monthly functional tests and annual comprehensive inspections), (2) Keeping firefighting lobbies clear of obstructions, properly ventilated, and fire doors maintained, (3) Ensuring EVA gates remain accessible, unobstructed, clearly marked, and keys/access available to fire services, (4) Maintaining emergency lighting, signage, and communication systems, (5) Staff training on emergency procedures, and (6) Coordinating with fire services for familiarization visits.

4. Which options best describe the candidate answer above? *

Mark only one oval.

- ☐ Fully accurate: The answer contains no factual errors and correctly addresses all major aspects with practical and code-compliant recommendations.
- ☐ Minor factual inaccuracy: The answer includes small, non-critical errors that do not materially affect the overall compliance judgment.
- ☐ Irrelevant but correct clause cited : The answer references a real COP FS provision, but one that is unrelated to the question or does not support the required judgment.
- ☐ Omission of critical information: The answer fails to include essential clauses, limits, or requirements necessary for a complete and accurate response.
- ☐ Hallucination / Fabricated content: The answer introduces plausible but entirely false information that does not exist in COP FS.
- ☐ Fundamental misunderstanding: The answer severely misinterprets the question, the regulatory intent, or the core compliance requirement.

5. Which options best describe the candidate answer? *

Mark only one oval.

- ☐ Clear and professional: The answer is fluent, well-structured, and logically presented, using precise and appropriate domain terminology.
- ☐ Minor clarity issues: The answer contains slightly awkward phrasing or minor redundancy, but the overall meaning remains clear and comprehensible.
- ☐ Inaccurate or inconsistent terminology: The answer uses incorrect, imprecise, or non-standard Hong Kong fire safety terminology.
- ☐ Logical gaps or weak reasoning: The answer shows disconnected arguments, unjustified logical jumps, or conclusions that are not adequately supported by the explanation.
- ☐ Insufficient explanation / justification: The answer provides conclusions without necessary clause references, rationale, or step-by-step reasoning.
- ☐ Poor readability / disorganized structure: The answer is difficult to follow due to unclear structure, lack of paragraphing, or poor logical flow.

6. (Optional) If you have any questions or comments for this Q-A pair, you may leave them here.

Skip to section 3 (Thank you for your time. Please click "Submit" to finalize your response.)

Thank you for your time. Please click "Submit" to finalize your response.

This content is neither created nor endorsed by Google.

Google Forms